



SAFETY DATA SHEET

HSM Special lubricating oil for cutting head
for document shredders

Date de compilation: 22.01.2014 Révision: 26.07.2017 N° révision: 3 **Document number:**

100000132035

Section1: Identification of the substance/mixture and of the company/undertaking

1.1 **Product identifier**

Product name:

HSM Special lubricating oil for cutting head for document shredders Article number 50ml: 1235997104 Article number 250ml: 1235997403 Article number 1235997501 **5**I:

1.2 1.2. Relevant identified uses of the substance or mixture and uses advised against Use of substance / mixture: PC24: Lubricants, greases, release products.

1.3 1.3. Details of the supplier of the safety data sheet

Companyname	HSM GmbH + Co.KG
Street	Austraße 1-9
City	D-88699 Frickingen
Country	Deutschland
Fon	+49 7554 2100-0
Fax	+49 7554 2100-160
E-Mail	info@hsm.eu
Website	www.hsm.eu

Emergency telephone number 1.4 Emergency tel: Beratungsstelle für Vergiftungserscheinungen, Berlin: Tel.: +49 30 / 19240

Section 2: Hazards identification

2.1 Classification of the substance or mixture		ce or mixture
	Classification under CLP:	This product has no classification under CLP.
2.2	Label elements Label elements:	This product has no label elements.
2.3	2.3. Other hazards PBT:	This product is not identified as a PBT/vPvB substance.

Section 3: Composition/information on ingredients

3.1 Substances

Chemical identity: VP 919

Section 4: First aid measures

4.1 Description of first aid measures Skin contact: Wash immediately with plenty of soap and water. Eye contact: Bathe the eye with running water for 15 minutes. Consult a doctor. Ingestion: Wash out mouth with water. Do not induce vomiting. Consult a doctor. Inhalation: Move to fresh air in case of accidental inhalation of vapours. 4.2 Most important symptoms and effects, both acute and delayed

Skin contact:	There may be mild irritation at the site of contact.
Eye contact:	There may be irritation and redness.
Ingestion:	No data available.
Inhalation:	No data available.

4.3 Indication of any immediate medical attention and special treatment needed

Section 5: Fire-fighting measures

5.1 Extinguishing media

Extinguishing media:	Dry chemical powder. Alcohol resistant foam.
	Use water spray to cool containers.

5.2 Special hazards arising from the substance or mixture Exposure hazards: In combustion emits toxic fumes of carbon dioxide / carbon monoxide. 5.3 Advice for fire-fighters

5.3 Advice for fire-fighters Advice for fire-fighters: Wear self-contained breathing apparatus.

Section 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions: Refer to section 8 of SDS for personal protection details. Eliminate all sources of ignition. Turn leaking containers leak-side up to prevent the escape of liquid.

6.2 Environmental precautions

Environmental precautions: Do not discharge into drains or rivers. Contain the spillage using bunding.

6.3 Methods and material for containment and cleaning up

Clean-up procedures: Mix with sand or vermiculite. Transfer to a suitable container. Refer to section 13 of SDS for suitable method of disposal. Wash the ground with an appropriate self-emulsifying solvent.

6.4 Reference to other sections

Ц



Section 7: Handling and storage

7.1 Precautions for safe handling Handling requirements: Avoid the formation or spread of mists in the air. Smoking is forbidden. 7.2 Conditions for safe storage, including any incompatibilities

Storage conditions:	15 - 25° C Keep away from sources of ignition.
Suitable packaging:	Must only be kept in original packaging.

7.3 Specific end use(s)

Section 8: Exposure controls/personal protection

8.1 Control parameters

Workplace exposure limits:

Respirable dust

State	8 hour TWA	15 min. STEL	8 hour TWA	15 min. STEL
EU	5 mg/m³ inhalativ	-	-	-

8.2	DNEL/PNEC Values DNEL / PNEC	No data available.
8.3	Exposure controls	
	Engineering measures:	Ensure lighting and electrical equipment are not a source of ignition.
	Respiratory protection:	Under normal conditions in well ventilated areas Respiratory protection not required.
	Hand protection:	Nitrile gloves. 0,7 mm Breakthrough time of the glove material < 1 hour.
	Eye protection:	Safety glasses.
	Skin protection:	Protective clothing.
	Environmental:	Refer to specific Member State legislation for requirements under Community environmental legislation.



Section 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

State:	Oil
Colour:	Colourless
Odour:	Barely perceptible odour
Solubility in water:	Not miscible
Viscosity:	Oily
Kinematic viscosity:	90 mm²/s
Viscosity test method:	ASTM D 7042/40°C
Boiling point/range°C:	No data available.
Melting point/range°C:	No data available.
Flammability limits %: lower:	0,9
	upper: 7,0
Flash point°C:	> 250
Part.coeff. n-octanol/water:	> 3,5
Autoflammability°C:	No data available.
Vapour pressure:	< 0,013 hPa/20°C
Relative density:	0,87/15°C
pH:	not applicable
VOC g/l:	0
Other information	

Section 10: Stability and reactivity

Other information:

9.2

10.1	Reactivity		
	Reactivity:	Stable under recommended transport or storage conditions.	
10.2	Chemical stability		
	Chemical stability:	Stable under normal conditions.	
10.3	Possibility of hazardous reactions		
	Hazardous reactions:	Hazardous reactions will not occur under normal transport or storage conditions.	
10.4	Conditions to avoid		
	Conditions to avoid:	Flames. Sources of ignition. Hot surfaces.	
10.5	Incompatible materials		
	Materials to avoid:	Strong oxidising agents.	
10.6	Hazardous decomposition p	roducts	
	Haz. decomp. products:	In combustion emits toxic fumes of carbon dioxide / carbon monoxide.	

No data available

Section 11: Toxicological information

11.1 Information on toxicological effects

Toxicity values:

Route	Species	Test	Value	Units
DERMAL	RBT	LD50	> 2000	mg/kg
GASES	RAT	4H LC50	> 2500	mg/ m³
ORAL	RAT	LD50	> 5000	mg/kg

11.2 Symptoms / routes of exposure

Skin contact:	There may be mild irritation at the site of contact.
Eye contact:	There may be irritation and redness.
Ingestion:	No data available.
Inhalation:	No data available.

Section 12: Ecological informationToxizität

12.1 Toxicity:

Ecotoxicity values:

Species	Test	Value	Units
Daphnia magna	48H EC50	> 100	mg/l
FISCH	96H LC50	> 100	mg/l

12.2 Persistence and degradability

Persistence and degradability: No data available.

12.3 Bioaccumulative potential

Bioaccumulative potential: No data available.

12.4 Mobility in soil

Mobility: Insoluble in water. Floats on water.

12.5 Results of PBT and vPvB assessment

Persistence result: not P
Bioaccumulation result: not B
er organisms: > 100
not T
This product is not identified as a PBT/vPvB substance.
e

12.6 Other adverse effects



Section 13: Disposal considerations

13.1 Waste treatment methods

Disposal operations:	Transfer to a suitable container and arrange for collection by specialised disposal company.
Recovery operations:	Oil re-refining or other reuses of oil.
Disposal of packaging:	Dispose of in a regulated landfill site or other method for hazardous or toxic wastes.
NB:	The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

Section 14: Transport information

Transport class:	This product does not require a classification for transport.
11a115puit Gass.	This product does not require a classification for transport.

Section 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

15.2 Chemical Safety Assessment

Chemical safety assessment: A chemical safety assessment has not been carried out for the substance or the mixture by the supplier.

Section 16: Other information

16.1 Other information

Other information:	This safety data sheet is prepared in accordance with Commission Regulation (EU) No 453/2010.	
	* indicates text in the SDS which has changed since the last revision.	
Legal disclaimer:	The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from cont- act with the above product.	