

## ***HSM Classic 105.3***

From [ShreddingMachines.co.uk](http://ShreddingMachines.co.uk) - The largest independent supplier of shredders in the UK

Authorized dealer





Don Ruffles Limited  
t.+44(0)845 5555 007



## HSM Classic 105.3

High performance model for deskside use. Shreds credit and store cards as well as CDs (details see below). Photoelectric cell for automatic start/stop control. On/off switch with integrated reversing function. Stand-by mode with LED indicator. Stops automatically when the waste container is full or has been removed, with LED indicator. Filling level display through inspection window. Removable waste container. Made in Germany.

Product type description	HSM 105.3 1,9mm	HSM 105.3 3,9mm
Order number	1289141	1290141
EAN Code	4026631018838	4026631018821
Shredder material		
Cutting type	strip cut	strip cut
Security level	3	2
Cutting width	1.9 mm	3.9 mm
Particle length	0 mm	0 mm
Cutting capacity (70g/m <sup>2</sup> )	12 - 14 sheet	16 - 18 sheet
Cutting capacity (80g/m <sup>2</sup> )	9 - 11 sheet	13 - 15 sheet
Intake width	240 mm	240 mm
Container volume	33 l	33 l
Cutting speed	80 mm/s	80 mm/s
Noise level (idle operation)	58 dB	58 dB
eclass 5.1	24320702	24320702
UN/SPSC	44101603	44101603
Power consumption of the motor	440 W	440 W
Voltage	230 V	230 V
Frequency	50 Hz	50 Hz
Depth	281 mm	281 mm
Width	375 mm	375 mm
Height	583 mm	583 mm
Weight	11.5 kg	11.5 kg



Authorized dealer



Don Ruffles Limited  
t.+44(0)845 5555 007

**HSM**<sup>®</sup>

**HSM Classic 105.3**

Product type description	HSM 105.3 5,8mm	HSM 105.3 3,9x30mm
Order number	1291141	1293141
EAN Code	4026631018814	4026631018845
Shredder material		
Cutting type	strip cut	particle cut
Security level	2	3
Cutting width	5.8 mm	3.9 mm
Particle length	0 mm	30,00 mm
Cutting capacity (70g/m <sup>2</sup> )	22 - 24 sheet	12 - 14 sheet
Cutting capacity (80g/m <sup>2</sup> )	17 - 19 sheet	9 - 11 sheet
Intake width	240 mm	240 mm
Container volume	33 l	33 l
Cutting speed	80 mm/s	90 mm/s
Noise level (idle operation)	58 dB	58 dB
eclass 5.1	24320702	24320702
UN/SPSC	44101603	44101603
Power consumption of the motor	440 W	440 W
Voltage	230 V	230 V
Frequency	50 Hz	50 Hz
Depth	281 mm	281 mm
Width	375 mm	375 mm
Height	583 mm	583 mm
Weight	11.5 kg	12.5 kg

Authorized dealer



Don Ruffles Limited  
t.+44(0)845 5555 007