



HSM FA 500.3 Premium



Authorized dealer





Don Ruffles Limited
t. +44(0)845 5555 007



Mobile, top model for IT departments, archives or as a central shredding point. Also suitable for shredding CDs and floppy disks, can even shred entire files and folders. The sturdy technology has been especially designed for a large throughput and long total operating time. Integrated, manual oiler for cutting unit. Material intake via loading table and electric conveyor belt. Stand-by mode with LED indicator. Keypad control for constant operation and reverse. Automatic stop and reverse in the event of paper jam. Shredded material transported out of the cutting unit by a conveyor belt. Made in Germany.

| Product type description | FA500.4 10,5x40-76mm | FA500.6 7,5x40-80mm |
|---|---|--|
| Order number | 1992104 | 1991104 |
| EAN Code | 4026631032162 | |
| Shredder material |  |  |
| Cutting type | particle cut | particle cut |
| Security level | 2 | 2 |
| Cutting width | 10.5 mm | 7.5 mm |
| Particle length | 40,00 - 76,00 mm | 40,00 - 80,00 mm |
| Cutting capacity (70g/m ²) | 600-650 sheet | 500-550 sheet |
| Cutting capacity (80g/m ²) | 510-550 sheet | 425-470 sheet |
| Intake width | 500 mm | 500 mm |
| Container volume / collecting container | 530 l | 530 l |
| Cutting speed | 210 mm/s | 210 mm/s |
| eclass 5.1 | 24320704 | 24320704 |
| Power consumption of the motor | 9.2 W | 9200 W |
| Voltage | 400 V | 400 V |
| Frequency | 50 Hz | 50 Hz |
| Warranty period (years) | 2 | 2 |
| Depth | 1795 mm | 1795 mm |
| Width | 1170 mm | 1170 mm |
| Height | 1795 mm | 1795 mm |
| Weight | 790 kg | 790 kg |

| | | |
|---|---|--|
| Product type description | FA500.5 6x40-53mm | FA500.3 1,9x15 mm |
| Order number | 1990104 | 1993104 |
| EAN Code | 4026631032179 | 4026631031462 |
| Shredder material |  |  |
| Cutting type | particle cut | particle cut |
| Security level | 3 | 4 |
| Cutting width | 6 mm | 1.9 mm |
| Particle length | 40,00 - 53,00 mm | 15,00 mm |
| Cutting capacity (70g/m ²) | 400-450 sheet | 120-130 sheet |
| Cutting capacity (80g/m ²) | 340-380 sheet | 90-100 sheet |
| Intake width | 500 mm | 500 mm |
| Container volume / collecting container | 530 l | 530 l |
| Cutting speed | 210 mm/s | 172 mm/s |
| eclass 5.1 | 24320704 | 24320704 |
| Power consumption of the motor | 9200 W | 9200 W |
| Voltage | 400 V | 400 V |
| Frequency | 50 Hz | 50 Hz |
| Warranty period (years) | 2 | 2 |
| Depth | 1795 mm | 1795 mm |
| Width | 1170 mm | 1170 mm |
| Height | 1795 mm | 1795 mm |
| Weight | 790 kg | 920 kg |