



HSM SECURIO C16

Created by <http://www.shreddingmachines.co.uk/>

Authorized dealer





Don Ruffles Limited
t.+44(0)845 5555 007

HSM®

HSM SECURIO C16

Entry level personal / home office model designed for 1 to 3 users, also shreds credit cards / store cards (see below for details). Automatic start / stop and auto-reverse in the event of a paper jam. Reverse button with multifunction (pressing reverse again continues the process). Folding safety element with contact protection (the device stops when pressure is applied to the element). Level indicator through inspection window. Handle recess on the top makes it easier to lift the upper part of the machine to empty the waste container plus automatic stop when the shredded material is removed. Quiet operating sound and zero power consumption in stand-by mode ZES (Zero Energy Stand-by). Made in Germany.

Product type description	SECURIO C16 5,8mm	SECURIO C16 3,9mm
Order number	1901111	1900111
EAN Code	4026631035606	4026631035583
Shredder material		
Cutting type	strip cut	strip cut
Security level	2	2
Cutting width	5.8 mm	3.9 mm
Particle length		
Cutting capacity (70g/m ²)	16 - 18 sheet	13 - 15 sheet
Cutting capacity (80g/m ²)	15 - 17 sheet	12 - 14 sheet
Intake width	225 mm	225 mm
Container volume	25 l	25 l
Cutting speed	44 mm/s	44 mm/s
Noise level (idle operation)	55 dB	55 dB
eclass 5.1	24320704	24320704
UN/SPSC	44101603	44101603
Power consumption of the motor	300 W	300 W
Voltage	230 V	230 V
Frequency	50 Hz	50 Hz
Warranty period (months)	24	24
Depth	258 mm	258 mm
Width	366 mm	366 mm
Height	455 mm	455 mm
Weight	4 kg	4 kg


Authorized dealer



Don Ruffles Limited
t.+44(0)845 5555 007



HSM SECURIO C16

Product type description	SECURIO C16 4x25mm
Order number	1902111
EAN Code	4026631035590
Shredder material	
Cutting type	particle cut
Security level	3
Cutting width	4 mm
Particle length	25,00 mm
Cutting capacity (70g/m ²)	6 - 7 sheet
Cutting capacity (80g/m ²)	5 - 6 sheet
Intake width	225 mm
Container volume	25 l
Cutting speed	44 mm/s
Noise level (idle operation)	55 dB
eclass 5.1	24320704
UN/SPSC	44101603
Power consumption of the motor	300 W
Voltage	230 V
Frequency	50 Hz
Warranty period (months)	24
Depth	258 mm
Width	366 mm
Height	455 mm
Weight	4.5 kg

Authorized dealer



Don Ruffles Limited
t.+44(0)845 5555 007

